





# 1

## 1.1

### 1.1.1

“ ”

**1.1.2**

**1.1.3**

**1.1.4**

**1.1.5**

**1.1.6**

**2.1**

**2.1.1**

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

**2.1.2**


- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

## 2.2

	consol e	consol e
	SecureCRT	
	TFTP	
	Sni ffer	
	Ul traEdi t	
	RGOS	



3.1

3.1.1



3.1.2





**3.**

**4.**

**5.**

**6.**

**7.**

**8.**

**9.**

**1.**



**2.**

**3.**



**2.**




**3.**

**4.**

**3.1.4**

### **3.1.5**











**cir 10000**


**00100 0**

**cir**









 [进入配置页面](#)



当前位置: 锐捷网络出口引擎

设备状态

↓ CPU使用率

下行流量(kbps)      上行流量(kbps)      操作

VPN配置  
网络安全  
用户管理  
系统高级设置  
系统基本状态  
系统设置  
接口配置

当前用户流量 下行TOP5  
排名 用户  
版本信息:

流量管理

NAT配置

NAT转换规则配置

选择ACL列表: 1      选择地址池: WYY      添加设置



路由配置  
VPN配置  
系统设置  
接口配置

NAT转换规则列表:


ACL列表	应用于地址池	操作
10	WYY	删除

删除全部


流量管理  
系统帮助  
返回NPE引擎首页


















### 3.1.6

- 1.
- 2.
- 3.











# 4

## 4.1

### 4.1.1 snmp

# 5

## 5.1

-

( )

( )