



RG-DBS

V3.0.2

©2008

Ш

4

Ш

Ruijie
Networks



®

4



®

4

4

锐捷®

4



®

4



Red-Giant

®

4





Ш



Arial


1		2
2		4
2.1	network	4
2.2	recover	6
2.3	restart	6
2.4	shutdown.....	6
2.5	password	6
2.6	reset.....	7
2.7	exit	

1



IP

└ Open L



└ ㄟ

└ login as ㄟ

└ system ㄟ

└ password ㄟ

└ system ㄟ

山

2

```
Last login: Tue Jun 28 05:01:59 2011 from localhost.localdomain
Welcome to DB Audit System Configuration Interface.
Plese input help to list all support commands.
Command>
```

help

```
Command>help
network      Modify Communication Network Configurations
System To Initial State      Remove all data and Remove
                             Remove System
                             Shutdown System
                             Modify System Audit
```

network

IP

4

4 DNS1

DNS2

```

Command>network
  1. IP address: 192.168.56.1
  2. Subnet mask: 255.255.255.0
  3. Default gateway: 192.168.101.1
  4. DNS1: 192.168.56.6
  5. DNS2: 8.8.8.8
  6. Do you want to modify Network Configuration (y/N):

```

24

```

Do you want to modify Network Configuration(y/N):

```

34

n

⏏

44

y

IP

192.168.56.1

```

Please input ip: 192.168.56.1

```

255.255.255.0

```

Please input mask: 255.255.255.0

```

192.168.101.1

```

Please input gateway:192.168.101.1

```

DNS

1

192.168.56.6

```

Please input DNS1:192.168.56.6

```

DNS

2

8.8.8.8

```

Please input DNS2:8.8.8.8

```

```

Your input, ip is:192.168.56.1,mask is:255.255.255.0,gateway is:192.168.101.1
,DNS1 is:192.168.56.6,DNS2 is:8.8.8.8
Do you want to confirm(y/N):

```

ip

n

y

```

reboot(y/N)? After the reboot to take effect. The

```

⏏

y

n

⏏

2.2 recover

system recover

```
Command>recover
This command will delete all audit data and recover system to initial state.
If you changed the IP address of the communication port, and is currently logged
into the system through the communications port, you should use the initial IP
address to reconnect after recover the system
Do you want recover the system(y/N)?
```

y ☐ n ☐ IP ☐

2.3 restart

system restart

```
Command>restart
Do you want to restart the system(y/N)?
```

y ☐ n ☐

2.4 shutdown

system shutdown

```
Command>shutdown
Do you want to shutdown the system(y/N)?
```

y ☐ n ☐

2.5 password

system password

```
Command>password
Do you want to change password of the system (y/N)?
```

14 n W

24 y

```

Change the password of user root:
Enter new password:
Retype new password:

```

```

Sorry, passwords do not match.
New UNIX password:

```

```

Sorry, passwords do not match.
passwd: Authentication information cannot be recovered
Command>

```

