



锐捷®





- 
- 
- 







“ ”

“ ”

“ ” “ ”





- 
- 
- 
- 



- 
- 
- 
- 
- 
- 





- 
- 
- 
- 





}  
u

- 
- 
- 
-



u

•

•




5DZ6fjX[Y



6fjX[Y

6UW \ III

5DZ6fjX[Y




5





---

敏**锐**把握应用趋势·快**捷**满足客户需求



- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 





- 
- 
- **Reset**



**Reset**


**Reset**

u

-




- 
- LAN
- Reset





|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |





U



LAN-IN


PWR-LAN OUT





admin

admin01





P780 Administration

User name:

Password:

Remember my password


P-780 EXIT >

|        |         |          |        |
|--------|---------|----------|--------|
| Status | Network | Wireless | System |
|--------|---------|----------|--------|



§

< u







|                 |                  |                     |                     |
|-----------------|------------------|---------------------|---------------------|
| Frequency range |                  | 2400 MHz - 2483 MHz | 5150 MHz - 5875 MHz |
| Peak gain       | 4.5 dBi          | 7.0 dBi             |                     |
| Average gain    | 2.5 dBi          |                     | 5.0 dBi             |
| VSWR            | 2.0 : 1 Max.     |                     |                     |
| Polarization    | Linear, vertical |                     |                     |
| Impedance       | 50 Ohms          |                     |                     |
| Power handling  | 2 W (cw)         |                     |                     |
| P-N plug        | Connector        | R                   |                     |

|                     |                                   |  |  |
|---------------------|-----------------------------------|--|--|
| Survival wind speed | <math>\leq 10 \text{ km/h}</math> |  |  |
| Temperature         | -40 °C to +70 °C                  |  |  |
| Humidity            | 0% to 100%                        |  |  |
| Shock               | 5G                                |  |  |
| Dimensions          | $\phi 22 \times 183 \text{ mm}$   |  |  |
| Weight              | 70g                               |  |  |

