

copyright © 2022




.....	2
..... !	
.....	5
1.1	5
1.2 RG-S2300	5
1.3 RG-S2300	6
1.3.1 RG-S2328G	6
1.3.2 RG-S2352G	9
1.4 RG-S2300	11
1.5 RG-S2300	12
1.5.1 M2000-02SFP/GT	13
1.5.2 M3250-STACK	

3.3.4	24
3.4	24
	25
4.1	25
4.1.1	25
4.1.2	25
4.1.3		

1.1


	0℃	50℃
	: -40℃	70℃
	10%	90% RH
	5%	90% RH
EMC	GB/T 9254.1-2021	

1.3.1.2



1-2 RG-S2328 -1


- 1
- 2
- 3 1
- 4 2
- 5 Console



1-3 RG-S2328 -2

- 6 10/100Base-T
- 7 10/100/1000Base-T
- 8 1000Base-X SFP
- 9 10/100Base-T
- 10 10/100/1000Base-T
- 11 1000Base-X SFP

1.3.1.3



1-4 RG-S2328

-1

1

1.3.1.5

RG-S2328G

1.3.2 RG-S2352G

1.3.2.1

RG-S2352G


48 10/100Base-T

2

SFP


1

Console



1-6 RG-S2352G


1.3.2.2



1-7 RG-S2352G

- 1
- 2
- 3 1
- 4 2


- 5 10/100Base-T
- 6 Console
- 7 10/100Base-T



1-8 RG-S2352G

- 8 10/100/1000Base-T
- 9 1000Base-X SFP
- 10 10/100/1000Base-T
- 11 1000Base-X SFP


1.3.2.3



1-9 RG-S2352

-1

1



1-10 RG-S2352 -2

2

3

1.3.2.4

RG-S2352G

AC

100-240V AC

90-264V AC

50/60Hz

0.6A

1.3.2.5

RG-S2352G

1.4 RG-S2300

1-3 S2328G

	status		

10 a 50

Module

10/100Mbps RJ-45	1~24		link
			100M link up
			100M
			10M link up
			10M
1000Mbps SFP	25F 26F		link
			link up
1000Mbps RJ-45	25C 26C		link
			link up

1-4 S2352G


	status		
	Module		

1.5.1 M2000-02SFP/GT

1.5.1.1

1-12 M2000-02SFP/GT

2



1-12 M2000-02SFP/GT

- 1 10/100/1000Base-T
- 2 10/100/1000Base-T
- 3 1000Base-X SFP
- 4 1000Base-X SFP

1.5.1.2

1-5 M2000-02SFP/GT

	Power		
SFP	P1/P2		link
			link up
GT	P1/P2		link
			link up


	M2000-02SFP/GT	
	<4W	
	0 ℃	45 ℃
	: -40 ℃	70 ℃
	10%	90% RH
	5%	90% RH

0..25 23<14D11 15.72 reW€ID 180/hng (en-US9 713.85 353.1 33.24 re'

1.5.2 M3250-STACK

1.5.2.1

1-13 M3250-STACK S2300 1G



1-13 M3250-STACK

- 1
- 2
- 3

1.5.2.2

1-7 M3250-STACK

	Power		
	STACK-P1/P2		link
			link up

1.5.2.3

1-8 M3250-STACK



2.1

RG-S2300

2.1.1

2.

2.1.4

- (1)
- (2)
- (3)

2.1.5

RG-S2300

2.1.6

/



18

24


2.2

RG-S2300

2.2.1

RG-S2300

2.2.4



2-5 RG-S2300

2.4

-
- 1.
 - 2.
-

2.5 EMI

- (1)
- (2)
- (3)
- (4)

2.6

2.7

3.1

3.2

3.3 S2300

3.3.1

:

10

3.3.2 19

RG-S2300

EIA

4.1

4.1.1


PC

Co:36743511111111111111MC /P.CID 12>> BDC BT /F11 10.56 Tf6 1 0 0 1




4-2

(2). " " . 4-3




4-3

(3). < > 4-4



5.1



5.2

1

B Mini-GBIC

	SFP	Mini-GBIC	XENPAK
SFP	XENPAK		SFP