

RG-RSR10-01G Ө

F^ x ӨE

copyright © 2023 iHè

Ê Ë Ì

ÈHèPk~%yyK±~BÄ

göð.

[illegible]

(Tã s%-làR'i H à ì " ĐœÊ·!ôwÆ±à

Ø W



z ðVid

z ðt

z ð



z iHð <http://www.ruijie.com.cn>

z iHð <http://www.ruijie.com.cn/fw/>

z iHð 7*24hðUy <http://ocs.ruijie.com.cn>

z iHð 7*24hð 4008-111-000

z iHð 4i:ð <http://www.ruijie.com.cn/special/fw/tool/xryf/>

z iHð Fð ð 4008111000@ruijie.com.cn

z iHð4Fð doc@ruijie.com.cn



4i:ð APP



iHð

T,

1. ð



ðŸ

ðð

>

✓ 𐌿 /(-be7θ

𐌿(-be7θ*D>

2. 𐌿



𐌿 𐌿

1 cp”

RSR10-01G Da~LuxFz~Jx~K@55 6Ñ 9L0k0FJ
 xBk.A8sA@36Da~Lu75pA~G~JLu~
 kDa~f(1BkA~G551~6FJEE5B~A~5X~Ä

1.1 Þ RSR10-01G Ò

1.1.1 Þ RSR10-01G Ò

RSR10-01G Da~K@55 6Ñ 9L0k0M/A H½ 55x~ 32 QW7- RISC 4*6”
 0QW7-55~705~M~51Ä. RSR10-01G Da~
 55~Wx

RSR10-01G 36 Da~ 1 ; 3G f? 6 WCDMAÄ CDMA2000Ä T /ý f? Da~ Ä RSR10-01G-WÄ
 RSR10-01G-CÄ È 02D~00aF9Ä

1.1.2 Þ RSR10

Ž NAND FLASH	32MB
F((Wh Hh D)	120mmh 46mmh 100mm
E»	2G 100 240V 50~60Hz
ĠG	12W
Ö	0 50
Ö	-40 70
E	10 90%RH

RSR10-01G Da~ FE RJ45

56j RJ-45

8 8M 164i

Ä UTPÄ

8 |WEAe7F4pLEB

1.2.1

- „ K@SRSR10-01G DaF2X6J55)Ä
- „ 64i RJ45 E3AÄ ARP AÞ 802.1Q AÞ
- „ 1J/5AÄ X.25Ä HDLCÄ PPP ¼ SLIP AÞ
- „ 55r:1 TCP/IP A27Ä IPÄ ICMPÄ IGMPÄ TCP ¼ UDP 1yAÞ
- „ 1J/y IP :DÄÄ RIPÄ V1/V2Ä OSPFÄ V1/V2Ä 1DÄ1y
- „ 1551ÄÄÄ SNMP
- „ 1 TELNETÄ TELNET
- „ 1 DHCP ServerÄ DHCP ClientÄ DHCP RelayÄ TFTP 1y
- „ 17-È VRRP AÄMW
- „ 1 PPPOE
- „ 1 DNS MÄÄ DDNS
- „ 12REÄÄ X-MODEM w4xÄ
- „ 1 NATÄ ACLÄ AAA
- „ 1 IPSECÄ L2TPÄ PPTP

1.2.2

```

,, FJE÷Console F5ž
,, FJE÷TELNET 6ž
,, FJEF06ž

```

1.2.5 ði

```

,, Gx¼ IP 5E%Ë5pÄFA2wFpö Ä
,, 1 AAA ALAÖE RADIUS
,, PPP A¼ PAP ¼ CHAP A¼Ä callbackÄFJWÄ
,, 64×Ä
,, X

```

2 00

2.1 0.

”

DI)S×OMPa:GeDVOQJBO55H61FE0DaMWWWL}È
UGY/Ä

K@SRSR10-01G Da)SÄ

„ \$Ö 0 ~50

„ -()S 10%~90%

)S%gD×Df@
r>

1.5m Ä%gZ

0.4m :#vP

CBÄ/S%73C68*%5pä

2.2.2 Ä

■ ~~Ä~~

ÄÄÄÄ

K@S6Da)joÄGÄ

0W-\$ P 0.5

„ 1F2\$D
 „ @Da@dLbM7... È 0LbM6E
 „ 6Da@dMM:n5XQK6Ene.mA
 „ 8E0Da@dX@eDFE6HFx{0eD:SÄ

2.2.4 5-

6D4D

„)E35G9xLbe5D
 „ Da0DÄ75FLbM5Bx|m7--(DF0Ä
 „ F/ß4e4 ÅME4 1yQNÅWe47Ä
 „ 6e.mÄ

2.2.5 7-

8- Gm6D9Y7D-6 N0

„ ADaÖW180Ä
 „ A6ÄJW80Ä
 „ jleAbMx63xeSÄDÄMÄ

2.2.6 □ μ

7D

/DÄ

⚠ 6E

9 2 L*CEý 18DM6/A5@kJCL*6>

24EÄA00q

2.2.7 ÓG´

0D6-0D

„ \$Ö /E .ÄÖaFJNp90L\$Daj1ä
 „ .ÄÖE0(*E-OäpE6Ä
 „ .ÄÖE

2.3 GVÖ

Ö

„ 6

„ FÖ 456

„ -(A7

„ 6Ö

„ 6/0

„ 06/0

„ LbM67...

„ FÖ 456 5Ö

„ eÄi

„ G5Äi

„ 5Äi

KF- RSR10-01G D%gZÄLz KÄBG71Ö KÄ6 Ä G54Ö 45< M6EGC>

-(A75Ö

„ HUB FÖ


„ G5Ä14161 OC1×40, PC j

„ e Ä

3 ③

3.1 ③

图 3-1-1 安装流程图



3.2 ③

图 3-2-1 安装流程图

01

” ③

RG-RSR10-01G Da~

3.4

RG-RSR10-01G Da~ EIA/TIA-232 2b3G5ž Console EFg@)Da~
GpÄ
GpÄ


ò	B\$
Ń	RJ-45
Ů	2! EIA/TIA-232
(©).	UAÔ 9600bpsÄ

4

4.1

4.1.1


Console DaF550
100/601V40F65JE76 RS232 456 Da~ Console 55x f
MAE
FJE÷Console jG573
10540EJA30X100E40/-O0E Windows 55E Hyperterm(Cu
4x40)1yE4x40j2E37E4x40E05E9Dae Console F
55EJA0 9600 (#)S 8 j 1HQPS4 ðF940/-O2* j T100E
æ Windows 64x405M/E
*0aO




F9Da~ Console Fj



A5bFJA0



F94h/-O2x



105)DaFeÄ

4.1.2 Ô

4.1.2.1

„ 0E SYS 7/j 5/8¢ Ä
 „ G540Vn/jh
 „ 0a~e40:Jn/jDaE8@1yX

4.1.3 0

NO

```
*****
System bootstrap ...
Boot Version: RGOS 10.3(5T30), Release(113148)
Nor Flash ID: 0x00010049, SIZE: 2097152Bytes
MTD_DRIVER-5-MTD_NAND_FOUND: 1 NAND chips(chip size : 33554432) detected
MTD_DRIVER-5-MTD_NAND_FOUND: 1 nand chip(s) found on the target.
Press Ctrl+C to enter Boot Menu .....
Main Program File Name rgos.bin, Load Main Program ...

Executing program, launch at: 0x00010000
Ruijie General Operating System Software
Release Software (tm), RGOS 10.3(5T30), Release(113148), Compiled Wed Apr 6 17:01:22 CST 2011 by ngcf61

Copyright (c) 1998-2011s by Ruijie Networks.
All Rights Reserved.
Decompiling or Reverse Engineering is Not Allowed.

*Apr 14 08:45:33: %MTD_DRIVER-5-MTD_NAND_FOUND: 1 NAND chips(chip size : 33554432) detected
*Apr 14 08:45:33: %MTD_DRIVER-5-MTD_NAND_FOUND: 1 nand chip(s) found on the target.
*Apr 14 08:45:55: %7: this is a main board, it will creat factory menu.
*Apr 14 08:46:11: %SYS-5-COLDSTART: System coldstart.
Ruijie>
Ruijie>
```

Ä :0j_03E0E\ ,D+a0j_0pÄ Ä
 Fg0DaFS5A

1b6Wp%g0AÄ G503/D%g00pA5

4.2 0

00000000-6574
 63Ä

