




RG-S6220

V1.01

©2013

1. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = -I$.
 2. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = I$.
 3. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = 0$.
 4. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = I$.
 5. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = -I$.
 6. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = I$.
 7. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = -I$.
 8. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = I$.
 9. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = -I$.
 10. $\hat{A}$ is a linear operator on V such that $\hat{A}^2 = I$.

[illegible]

1 RG-S6220



RG-S6220

У α Ю б ъ | Ѡ ѡ а . і ä ҃ є ~


1.1

P

1.2

1.2.1

1-1


$$\begin{aligned} Y & \quad \supset \quad \sim \quad \tilde{y} \quad \quad \quad \wedge \quad \quad \quad \hat{A} \\ Y & \quad \quad \quad \vee \quad \quad \quad \hat{A}(\quad \underline{1-1} \quad \hat{e} \quad) \hat{A} \quad \quad \quad \omega \quad \uparrow \quad \quad \quad \omega \quad \omega \quad \hat{e} \quad \quad \quad \exists \quad \beta \\ B & \quad \quad \quad p \quad \quad \quad a \quad \quad \quad \vee \quad G \quad \quad \quad H \quad \quad \quad \hat{e} \quad \hat{A}(\quad \underline{1-1} \quad \hat{e} \quad) \end{aligned}$$


1.2.2

1-2


$$\approx 6 \quad 1'$$

У ‘ ² ¨ р а ‘
У ‘ в ¨ ‘ (1-2 è)
Б ‘ ¼ Ю ѿ ^ Â

