


copyright © 2024



)



1-1



POWER	
SYS	
FAN	
	LINK
	link

× ×	560mm×440mm×88.1mm
	2U
	15kg

	<p>8 1G</p> <p style="text-align: center;">10/100/1000Base-T</p> <p style="text-align: center;">8 MGMT</p> <p>12 10G SFP+</p> <p>4 40G QSFP+</p> <p style="text-align: center;">1 QSPF+      4 10G      13~16</p> <p style="text-align: center;">2 QSPF+      4 10G      17~20</p>
	<p>1 RJ45 Console</p> <p>1 USB</p>
1	



- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

UPS

10

/

---

18

24



15 ~30	0 ~45	40%~65%	10%~90%



1.5m

0.4m



48

15




5

μm	0.5	1	3	5
----	-----	---	---	---



RG-WS7880



RG-WS7880

RG-WS7880

RG-WS7880

RG-WS7880

■

■

RG-WS7880

10cm



RG-WS7880

DB-9

RG-WS7880

- 
- 
- 
-


AC  
■88sole

Console  
RS232


AC  
RG-WS7880



4-3



4-4



RG-WS7880

RG-WS7880

- 
- 
- 

RG-WS7880

■ RG-WS7880

" "

■

RG-WS7880

RG-WS7880

RG-WS7880

```
*****
Boot 1.2.6-00386-g6849a86 (Build time: Oct 13 2014 - 17:40:17)

DRAM: 16 GiB
NAND: 512 MiB
Flash: 8 MiB
SETMAC: Setmac operation was performed at 2015-03-04 16:42:48 (version: 11.0)
Press Ctrl+C to enter Boot Menu
Bootloader: Done loading app on coremask: 0xffffffff
Starting Devices Initializations... [ OK ]

adding user rgosm...
adding user guest...
adding user sslvpn...
adding user postgres...
insmod: cannot insert `/sbin/rg-console.ko': File exists (-1): File exists*Mar  4 16:46:37: %SYS-5-AC_POWER_ON:
System coldstart.

Press RETURN to get started
Ruijie>
```

RG-WS7880



RG-WS7880

RG-WS7880

---

