

copyright © 2023



2.

1

RG-AP110-L M5 802.11n 4054 55CLjGj55*%4 802.11n ,F»
40 APÄ RG-AP110-L j(X 86mm M>PÄÄ #555560>0*E
X=16>(680:60y)855*Ä#6#9Ä

1.1

1.1.1 RG-AP110-L 802.11n

RG-AP110-L ,8e 2f*527.38 457.51 0.48004g[2f*527.38 457.51 48 0.480g[2f**127.1 445.75 0.48 11.76 re09CID 79

.8e	
× 8	RG-AP110-L
.8e\	V1.00
4NÄÄÑ	2.4G
PEÄP	1 802.11b/g/n
0L8	2 2x2 MIMO
PEÄO).	0Q 1 300Mbps
4).	<100mwÄ 20dB01.76 reW* nBT1 0 0587.47 399.79 11.64 r04.771.39 399.79 11.76 reW*804F54 Tr

1.1.2 RG-AP110-L

№	№	№
System	LÄ 2.5HzÄ	35 M
	hP	35 hCE È CAPWAP " Æ È 4i xŒ
	üÄ 1HzÄ	WAN LINK DOWN
	LÄ 1HzÄ	WAN LINK UPÈ CAPWAP 20
Reset K	LÄ 0.4Hz hÄ	h È CAPWAP Æ È 9 4KŒ
	.S 1S	A7 Gy
	W 5S	A7 Až

2.2.2

RG-AP110-L 4064

RG-AP110-L 4064

RG-AP110-L 4064

OW- ϕ (- m)	0.5	1	3	5
OW- ϕ (OW- ϕ)	1.4×10^7	7×10^5	2.4×10^5	1.3×10^5

RG-AP110-L 4064

RG-AP110-L 4064

Df	mg/m ³ Ä	OWÄ mg/m ³ Ä
WF- SO ₂	0.2	1.5
.FR H ₂ S	0.006	0.03
WF- NO ₂	0.04	0.15
XD NH ₃	0.05	0.15
D Cl ₂	0.01	0.3

2.2.3

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

2.2.4

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

2.2.5

RG-AP110-L M⁵ 802.11n 4064

RG-AP110-L M⁵ 802.11n 4064

„ A646FJWÄ

2.3



1) 5

2) F56×

3) -(A7Ä


5Ö



梅花螺丝刀



一字形螺丝刀



打线刀



网线钳

F565Ö



网线

-(A75Ö

RG-AP110-L 0



3 RG-AP110-L

-
-  注意
- 86-F>, AP>N+1>>Pü JB/T 8593-2013p. 9012# M415
SF>çâ
 - M4*20w• -j SF>çâçâçâ* 20mmK(S#09)æ
pü^ M4*40,w• -j S>
 -
-

4

4.1

FJEF2GF65 PoE Ee AP :+eÄ

„ FJEF2GF65 PoE Ee AP F>F0.ÄÖ8V8Ä

4.2

„ +eÖÄ

„ Ee+ey> AP 08Ä

ÄÖ8V8Ä


„ AP ,7/jhÄ

5

X RG-AP110-L 4064 10XgFJE0/j& (1Ä
863 RG-AP110-L 9K0/j&Ä

X1063,591516Ä

6



PoE ěBĚ

PoE ěBĚ

802.11af ěBĚ

AP, ěVhÄ

AP, ěVhÄ

AP

1) AP, ěVhÄ

2) AP, ěVhÄ

3) AP, ěVhÄ

4) AP, ěVhÄ

AP, ěVhÄ

A _____

100BASE-TX/10BASE-T 1

100BASE-TX/10BASE-T 11(O)8F2A1E(F1(O);80

f RG-AP110-L >E456FJEE4w-j,5480,ÎuâC4FC4Ä9
 E4560B*6nXj,âA-nXjFGC>U456E4bÎLu
 456j-e456bM1ay,5ÄF:C4FC4Ä

„ +e456J+e562Äe562« 3n*EÄe56F' 5 ð)456
 2*e56Äe56F' 7 ðÄ

„ EJ<E*e5623n*EÄe56F' 7 ð)456E2*e56Äe56F'
 10 ðÄ

„ EO+e56Ä SFP++e561yÄe56F' 5 ð)456E2*e56Äe56F'
 10 ðÄ

„ Xv~456M0Ä1ÄEdX456,F25Ä

„ +e56Xjÿ~>Ä~u456P5Äy)BÄ D-1 p/jÄ

. D-1 +e56v~/jÄ 0Ä

„ <2+e56ÄeÄÄÄyÄjB0C4Ä~EÄX0CÄ/EFÄ
 G4ÄC4ÄEÄEe56>4jLÄÄ 30mmÄ

„ jÄ,546Äi-Ä%ÄÄ@Ä

„ +e560CÄHÄy%,ÄÄu6B6,>MÈ>055H>Ä


„ 5~+e56Ä9F2Ä4ÄEXTiFTi:,4FÄ+XÄ4Ä

„ +X45+e565~>ÄjG6ÄÄuÄÄF7JÄ D-2 p/jÄ

. D-2 +e56v~ /j3%

„ X+e56M02 0X+e56F>F>F~Ä4F-5~XjF+e56k +OEW,Ä
 6<+e5680FÄ D-3 p/jÄ

. D-3 +e56v~ /j3Ä



„)X>Gj020}+e56E65+e56K*,G6ÄF6~XjF4i-,F2FÄ2
 5ZXB3BÄ7F>ÄFP@A7TÄFP@456T,5Ä


„ 220V +e56Ä -48V +e56Ä~XF0&EÄ

„)Ä0&+e56ÄyG>Ä90ÄyÄe56Ä#0Ä>ö
 5Ä0%+e56Ä@Ä@Ä@EtyÄÄe56Ä

„ +X0ÄÄe56F0ÄFÄ*Ä0GÄbÄ

D-4 p/jÄ

. D-4 +e56*Ä93.



ÖÖ	Ë	iÛ
	Ë	Ë

- „)E3ce4K10LtF)+e56F>†ËbX10#e56:x +OÄ
- „ B/+X8ka8W*0LÄ
- „ <02Ä0AC4j+e56Ä~@+e56Ëe56j+e56\$1Ä
- „ 4†5~2†F>Ä

+e56*\$ (mm)	5~L\$ (mm)
10	80~150
10~30	150~200
30	200~300

- „ ++e56C4F65v~ËÄ
- „)ËE,0L60D01yÄG\$4-Ë6MbX16FMÄ