

RG-WS7204-A

z
z
z

z
z
z
z
z
z
z
z

<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

z 7*24h <https://ocs.ruijie.com.cn>

z 7*24h 4008-111-000

z = = <https://www.ruijie.com.cn/special/fw/tool/xryf/>


z 4008111000@ruijie.com.cn

z doc@ruijie.com.cn



APP

1.



Aæ €

>ž/p+^ m ûN± [rF« ¾,°?ú O > , Ò 3?ù!š2± ¥ , %73 28* | ¢ X g LAô = • ... >



E

>ž/p+^ m ûN± ¼@ , °H ?· ¥ > , Ò 3?ù!š2± ¥ , %73 28* Œ73 g ~ L]73Lf „ >



B* D

+^ Ä Ñ>> { =+i D = /p1• > , Ò 3?ù!š2± ¥ , C P 28* [H D Ò >

 $\dot{Y} \div /(\sim b e 7 \hat{u} \ddot{e}$
 $+^{\wedge} \ddot{A} \quad \tilde{N} \dot{Y} \div L(\sim b e 7 \hat{u} \ddot{e}, {}^{\circ} B^* D >$

2.

		1
1		1
1.1		1
1.2		1
1.3		2
1.4		3
1.4.1		3
1.4.2		3
1.4.3		4
1.4.4		4
1.5 RG-NBR-HDD-1T		5
1.5.1	g0.149.GL.45.4R)243./Span.<EMC../Span.#MCID.176/Lang.(zh-CN)>-> BDC 0.00000	5
1.5.2		5
2	5e.4n-197113/EMC../Span.#MCID.146/Lang.(en100.000008871 0 595.32 841.9	7
2.1		7
2.2		7
2.2.1	/	7
2.2.2		

4		13
4.1	Console	13
4.2		15
4.3	RG-WS7204-A	17
5		18
5.1		18
5.2		18

1


1.1

RG-WS7204-A

RG-WS7204-A

1.2

1-1 RG-WS7204-A



1-1

1	SATA	
2	PWR	
3	SYS	
4	Reset	
5	Console	
6	USB	/
7	MGMT	≡

1-2 RG-WS7204-A



1-2

1		
2		RGOS



1.4

1.4.1

	RG-WS7204-A
× ×	440 mm×200mm×43.6mm
	1U

1.4.3

	RG-WS7204-A
	25W
	100V AC~240V AC 50Hz~60Hz

 Aœ €
Aô =+k\$Æ c,°Ê ã ž C % ü ® >

1.4.4

	RG-WS7204-A
	-5°C 45°C -40°C 70°C 3000~5000 220 1%
	10%RH ~90%RH 5%RH ~95%RH
	GB 4943.1


 B* D
+g ÄU- Á - M P , C73 A÷315 e 7 v ? , ° USB Aô = > 0Aä µ+^!™ ÷H åNµU- , ¬ J U- ½ ,315 r E p
FAT32 >

 # E
+g ÄRG-WS7204-A Ý ÷ =Gf ? .¢- ,B- ^ bF µ+^Eý0A cFµ f e Þ Â è 1 >
, Ò RG-WS7204-A Ý ÷ µ+^c \ ? .¢- ,B- × û ^ A+k f ~ ©L#+k\$Æ 6 © ?Jä ,1• » PWR -&¥°&£ D Ä
Lš+k\$Æ4ö , f.¢- f• ... >
%ø m8 >,\$1 Ö.¢- ,M6 ~ <.¢- r E L F EXT3 r E D ĭ % µ+^ >
B- × û ^ A+k f ~ ©L#+k\$Æ 6 © ?Jä ,1• » PWR -&¥°&£ D Ä Lš+k\$Æ4ö , f.¢- f• ... >

1.5 RG-NBR-HDD-1T

1.5.1

1-3 RG-NBR-HDD-1T



1.5.2

1-3 RG-NBR-HDD-1T

	RG-NBR-HDD-1T
	RG-WS7208-A/RG-WS7204-A
	130mm*102mm*27 mm
	1T
	0~3000m



B* D

.Ç- @ (5 »5αE¥, , J r E p EXT3 , M6NÓ L ' , © ©+^ >



E

.Ç- C e 7'# ! ‡ YS(A'ëô ñ !u3Lfla"pN°en-US




不要扔掷、颠簸、晃动或震动硬盘。取放时，应握住硬盘的侧面。



不要用手或工具接触印刷电路板部件。



RG-WS7204-A Ƴ ÷ , °. ¢- ǳ > û , ^Aô = ã+k û ë A , <7 M~, ° Z ` . ¢- 0 Ð= ð S Š 6 , 00°, °. ¢- W µ ,
 Ä > \ ? . ¢- , ° W • D , H æ <= ð S 3] © % >



15%~30%	0%~45%	40%~65%	10%~90%



B* D

)â 1\$ _ Ü\$μ Ü e = ^Aô = p ì f D"× ? Ú μ ,D f μ @ 1.5m ÂD Aô = ì f ï 0.4m :#•H v Í,° !
r >

.# U ' — , =Aô =F 5# ' CC»Eý 48 E , L" ^3eA× CC»Eý 15 _ >

·1% ¬ Ò ')â 1 68b =Aô = v ^ p u »0°B9315 0)æ {LÒ , " !W CC»E\$ E , ©73 ~ C!™ n '99 * , %73
0)æ,°)â 1\$ _ Ü Â\$μ Ü r >

2.2.2

	0.5	1	3	5
	1.4×10 ⁷	7×10 ⁵	2.4×10 ⁵	1.3×10 ⁵

	mg/m3	mg/m3
	0.2	1.5
	0	0.03
	0.04	0.15
	0.05	0.15
	0.01	0.3

2.2.3

z

z

z

z

z

z

z

2.2.4

¶

3


3.1 RG-WS7204-A

 # E


%Aô = © p , ,B- ~ <Aô = DM~ μ @,°8o Á+k\$/E 6 ©Aô5p OFF(i 7 , C wAî •>,-* Û ã 6 220V+k\$/E,° ' , ,
-* Û ã+k = 0Aô =,° Ñ+k+k\$/E4ô1•>8o Á+k\$/E 6 © L?ø~ 7 , B- ø?÷ Ý ÷ L?ø 1 8, >



4


4.1 Console



4-1







4.2

” †

z

RG-WS7216168
10/16

Booting using the fdt blob at 0x1000000
Using Device Tree in place at 0000000001000000, end 000000000100961d

Starting kernel ...

SATA-5-SATA_DISK_FOUND: SATA Disk [sda1] has been inserted to SATA port.
sata-5-sata_DISK_PARTITION_MOUNT: Mount sata ,size : 916.8G
Mounting all file systems...
Mounting all file systems... [OK]
Starting sysstart...
Starting sysstart... [OK]
Starting proc_info...
Starting proc_info... [OK]
Starting rg_dprintk...
Starting rg_dprintk... [OK]

 B* D
@ 6 p E¥, %o! ¥ û Ñ ø69, C B.¢, LE¥,(~ b,° %o! ¥ P ? v C B >
1b 6!W µ+^ Ý ÷ , G " 0Aä µ+^Gf5▯ Õ73 / Ý ÷ 6 Ñ 0 b ø !F >,Aô5▯ >

4.3 RG-WS7204-A

RG-WS7204-A

5

5.1

RG-WS7204-A

PWR

z

z

z

z

ü

%