

RG - ULB111


V1.0

	< -41.3dBm/MHz
	-92dBm/500MHz@6.8Mbps

1.2.1.1 RG-ULB111

RG-ULB111 1

1-1 RG-ULB111



1.2.1.2 RG-ULB111

RG-ULB111 logo

1-1 LED

-		
	1	
	5	down

2.1

RG-ULB111

III



2.2

У У

III

III

500m

III

IP65

III

У У У У У

III

30cm III

2.3

-20 70

-40 +85

0% 100%

2.4

 $\text{\AA}$


"

G °Ôi0Đ p ĩ°Ôi0Đ pđ ! ãđÀYG \$¼€ H m-½Áñ / h Û ù Àl

NH

3

3.1



3.2

¶


¶

3.3

3.3.1

- 1.
- 2.
- 3.
- 4.


3-1




3 6mm 48.5mm III

42mm III

3-2




3-4



3-5 RJ45 III 3-6
III 3-7
1 3 1 4 3 5 3) 3-8 III
3-5 (2



3-6





3-8



4

4.1

PoE RG-ULB111 III

4.2

4.2.1

PoE RG-ULB111III

4.2.2

III

5

5.1

		III
	—	link
	—	
1s	—	
5s	—	

5.2

RG-ULB111

III

5.3


RG-ULB111

- 1)
- 2)
- 3)III



6

6.1



6.2

1

2

III

link

III