



10

- Speed
- Link/ACT
- Bypass

10

100-220VAC

-9/05»

4A7

Ŧ y V1.2

cUV_XOMNŹ iHâ

• ´ Ñ f

copyright © 2022 K@55

+%>,07sX

Ç@55,MAËP2Y,G6F>PÃ
iPÃ+B@B@0Ã6C,GpCÃ

Ø W

OBR Ø ¯+XK@ \$5•5 ñ È\ {¼ j Ø È ¶B 4ó,´ .œ &¹>õ 7 ‡ Ä

ð

\{¼ k?± û4ý ¶ × ñ X Ĩ7- :¼(™*6 :,´ 0 È(© W È È ¶¹>õ!•PÔ Ã uLì ÂL” Ã° _?ô I È ú+e56 ¼F Õ ~,´?ô I ¼
¯+X ö I ÄF2+X ¾#) :F µ éF >| ¶@ D X ¹>õ ¼5\$ Ô5•5 .œ & éM’ § 9 0 Ê4ÿP¾,´+X g Ä< & w ÊB !n × ñ ,´+X g'İ.
-(£ _B ¼² % Ä

Œ

„ K@5561Ö <http://www.ruijie.com.cn/>
„ K@557-Ö <http://ocs.ruijie.com.cn>
„ K@5561Ñ_1(xÖ <http://www.ruijie.com.cn/fw/>
„ 7×24 &_ÑÖ 4008-111-000
„ K@556Ö@5iÖ
„ hÑE3RÖ <http://www.ruijie.com.cn/fw/wt/>
„ K@55° __1>Ö1Ö 4008111000@ruijie.com.cn

gá

l – G÷+X 4/ýGÂ- 7 •>~lj X ý ÇE÷0;] ÄB (© [# ?,´` é ÈF È 7 ,´ ? y²; Ö

a EAGEE,N>

B*Dh0EÄFE>Ö{

; /Ö7Ö>Ö{

7 Reset „	: RJ45 b
8 7	; LAN/PoE 5•
9 L	< DC48V

1.3 RG-AP820-A Ce B ? y f

,V Q ? ; Ö

LNÄ	Ÿ	(æ
ü	Ze JEEÄ	&
3Hz	3+5ME0;	5/8t
ü	3+5ME0k0z	5/8p
3Hz	AP 3+5ME0ZG- Link down	48t
ü	3+5ME00ü	8p
3Hz	X,V Q0e	8t
ü	hE (hE+XgÖ	hp
3Hz	hE (hE+XgÖ	8t
2Hz	AP EX3E AP	48t
K^	.9%	A7Gý
	K9W%	A5ž

7 QØ

LNÄ	Ÿ	(æ
ü	Ze JEEÄ	&
3Hz	3+5ME0;	5/8t
ü	3+5ME0k0z	5/8p
3Hz	AP 3+5ME0Z ZG- Link down	48t
ü	hE XgÖ	hp
3Hz	hE +XgÖ	8t
K^	.9%	A7Gý
	K9W%	A5ž

RG-AP820-A 3+G40%

Hz 10 3Hz 10 3W

Ø

RG-AP820-A ,+eS+X DC -F2GF65 PoE EÄ

a F8Gk,M6C,C.G,F8G+mM6F8G,M6GG.L)GÇp

a ^ PoE k,M6361%? 802.3af k73Ñ

bCâ

RG-AP820-A G+X NpAAÑ

t5,0° L*Å° J,WFP>

G ø é Ô Ô

2.1 μ ž`

RG-AP820-A 4üB1b0Aä

A, 0Aä v%730) a88

2.2 G μ

„ Q3H0D6(6A+e.M/ME1A+e Ae1AecM7W Fjś
)E4 AP A7, 47 98Fg,)B

„ >B(FA)D/EF,6Ä7D/ED/EN¾ 500m&A7F
 8lp :ÄÄ

U/XC0d5d9%9Mb1yE>A7>XF>PAA#J558FJA7°,
E,863DIBCXM77eE011y3PE91V8FJA70)BA#PÄ

a B-2 B* D c F & E F > A & D

2.3 ? 6 μ

„XA7>54,ÄNÁQ+07Ä

0+0FBp9+eE9+eX56Ä

2.4 $\hat{\theta} \sim \mu$

„ F>|eD~~9~~EX,03Ä(13-(ÄCtiÄ

B47EVX%0E.L0P V%\$yÄ

„X>FpXßWU+e0f5FOP27Ýe0Ä

$$MOP + e^- \rightarrow MOP^{\cdot -}$$

BA7nX%BA7A7A

AP 02+eÄ7,554bM558+X7--(DFÄ

„ F/44 ME4 QNÁ+eA7Eyyj)4A7Ä

a C09E!+k1%73KC2+k11EL(16VFH8*3;2

a 

2.5 G^a © é L -

RG-AP820-A 0x0XjA7h0F/X/Ép0%C6Ä

2.5.1 G L -

- „ mG\$X0,)ÉX1L,)B: A0, FJN|B+5Ä
- „ .A0520(*É-O_Á RG-AP820-A É0tG0Ä
- „ .A057(F28 RG-AP820-A >É190ÉL07>É10
*148A 2m :,5ÄF0Ä

2.5.2 ù • L -

RG-AP820-A ,j8fÉA7>ÄN+X090ÉLÉ

2.5.3 t ... x y ... L -

- j Añ RG-AP820-A h0X/0105\$000041V80
r,)ÉJ)A7FP@Ä
- „ 4300Q,)ÉFP@55H65H8ÉJ8%?e00+OjV7-FÄÇ&8<1y
)BÄ
- „ 4300÷,)É5H(wJ500×+OM%eÄ7:,4eDÄ
- „ 400Q,)ÉWÉA7,MWWW,L}-ÉOQ\$JJ,É061FE0Ä
- RG-AP820-A A7))0Ö

00	00
-10èC-50èC	5%-95%

2.5.4 M Ó ... L -

& H)Aî 7F >|_ 0 W i ; ä Ä Ô µ& H:m X j f : È FP @M%+e hLt È H Ž Œ & Œ @ =8Y È T ! _ X Ô µ-()\$ - Œ • ~
, ' õ å ; È \$ CFP @F /yM%+e hLt È = v J ; ý Aî 7 / - È 6 < D é CFP @FJ uLì Ä) j o µ& H [Gy ú 2Ä ' ? ± " r ² ; > ~ Ä

0W-\$ (- m)	0.5	1	3	5
0W/00 /00Ä	1.4×10 ⁷	7×10 ⁵	2.4×10 ⁵	1.3×10 ⁵

LFA7p4,(o)0Dp[-0Ä(9UI,
FE0Ä0900V.FÄRWFA01y/Ä0Ä

Df	Ä mg/m ³ Ä	0WÄ mg/m ³ Ä
c	0.2	1.5

.FR H ₂ S	0.006	0.03
WF^ NO ₂	0.04	0.15
%D NH ₃	0.05	0.15
"D Cl ₂	0.01	0.3

2.5.5 EMI L -


”

3 C | é G

RG-AP820-A 3+G AP 121 EXÄ

B-.A54üB11bÄ,11bÄvF&(5f%Cé

3.1 G W 8



3.2 G ø é \

RG-AP820-A >A7,>5A6&eC4lyF>A&B:A&

„ >0000L\$%Cä 1Ä

„ >00CA7)0Ä

„ >00CA7)+e&X&Ä

„ F9+X,†e&Cä+5);0Ä

„ >00Cä A7)55G4i1Ä

„ >00CA7)>59p,1Ä

„)0ÉXg,C&7&>B:A&7_V1V8C1Ä


3.3 G • é µ l ç 6 •

j Añ 4i AP h&F/X/BF&A©Ö

„ A7>0A7EeÄ


„ B6A7n5&JNpÄ

„ BF&A7n50pÄ




2) 6kj6ü,2)ðæ

. 3-5 6 AP)ðæ



a ð8ß--çü4ü



a 8>M67p Ruijie logo S@>

a >M67p 1.5 GA% B-5#> p88'

a >M67p 1.5 GA% B-5#> p88'


3.5 ² ý 2

1Å)>M67p 1.5 GA% B-5#> p88'

. 3-7 6 AP 6



Qed [Top]Type/Pagination/Sub1 231> BDC8D 13>> BDC BT3D>M67p 1.5 GA% B-5#> p88'



3.6 3.6

ä / é ^ L ±

B'+X ü5 4IF Ö` AP, LAN/PoE 0		AP_1,54F0t...	AÄ		
a	q console ÜA0p	9600= p	8W/PÄ	1W/Hp	>0 M6/ AP F
>5p					

3.7 × Ô §

I ¿ 6 •

- „ v~+e5656
- „ v~ü 5454,54481_FW):_1a
- „ v~545~_ZW545656+X/PEÄ7-Ä

× E±

- 1) 654i56C56P8k LAN/PoE 1Ä
- 2) 654i5654i-Ä
- 3) 54v~ÄWCdkjÄGyC-Ä

3.8 G d é ó Ó

² ó Ó

„ .AÉGĚe_V>jG}e-iGǺ

„ A7>5ǺL_V7-Ǻ

„ .AǺĚ+O0+ǺBǺ

„ .AǺ7XjǺǺ9456*Ǻj:Ǻ

Ǻ ó

„ .AǺ4>ǺGǺ

„ .AǺ56v~Ǻ

Ǻ

„ .AǺeǺǺ8ǺV8Ǻ

„ Ǻ+eǺkǺĚǺǺ AP hǺĚ

4 x ž • p

4.1 @ Ž ´ ° Ê

FJE÷F2G} ~ F65PoE ĚeĚ AP :+eÄ

@Ě

„ FJEF2GF65 PoE ĚeĚ AP F>ĚeFĚ0.ÄÖeĚ8ĚV8ĚÄ

„ FJE546+eÄÖ AP > AC -(FÄ

„ FJE÷ PC > AP bÄB3BĚ0# PC ¼ PoE ĚM08X

98* 9 Tf 1 0 0 1 293.81 54EMC /P <</MCID 34>> BDC BT /F1 9 Tf 1 0 0 1 248.45 5

5 ñ 0 ¢ ò

5.1 ñ 0 ×

Ce

X RG-AP820

3) 0+01B301> AP ,D/Ä

CeGNEC.

⌘ A ä / — x ä / O ” y f


1000BASE-T/100BASE-TX/10BASE-T O L

1000BASE-T/100BASE-TX/10BASE-T __19/7O)8F2Ä È _1XF9/7O);8Ø MDI/MDIX Crossover
,ŧ-Ä

1000BASE-T 1V8 IEEE 802.3ab 7ëÄ56M01X 100-ohm 5 2FCµ 5 2Mñ54i UTP Fm54i STPÈ
DOK_1 100 2FÖ/Ä

1000BASE-T 1+X 4)4F>PEñ00p9,´ 4)4FÖ 1000BASE-T 1p+X;54iFÖ
.p/jÖ

. A-1 1000BASE-4




G é a Ž 1

p9Eœ

„ QFO+e56Ä SFP++e561yÄÄÄe56F' 5主)40E2«e56Äe56F' 10

. D-1 +e56v~/j2A

„ +X46+e565~>ÄJ%682%U€%F7JÄ D-2 p/jÄ



“ ” iU
“ • Ė

„)Ezce10 LtF)+e56F>†EoK10e56:x+OÄ

„ B7+X8k08W*Q1Ä

„ 020AC4j+eÄ~@+e56Ee56p+e5601Ä

„ 475~0,F>Ä

+e56•\$ (mm)	5~L\$ (mm)
10	80~150
10~30	150~200
30	200~300

„ +.e56C4F65v~Ä

„)02,01e0D01yÄG14-İ6MbX1eFMÄ

Д — P á y f

DC48V 0.3A
DC F2G

т\$	F-\$	\$	W
2.1mm	5.5mm	10mm	CO

