








C:\RG-Wlock\tomcat\webapps\javakeeper\download\backupconfig

The screenshot shows a Windows File Explorer window with the address bar set to `C:\RG-Wlock\tomcat\webapps\javakeeper\download\backupconfig`. The file list contains the following items:

名称	大小	类型	修改日期	属性
.73556.db	91 KB	数据库文件	2017-3-24 17:36	A 201703241
32602.db	92 KB	数据库文件	2017-3-24 23:26	A 201703242
32644.db	92 KB	数据库文件	2017-3-24 23:26	A 201703242


1

“ ”



2

“ ”



1

/
80%


1

85% 2


60 3


syslog





WEB	192.168.68.64	用户account登录成功	2017-03-24 23:32:49	账户管理员	account
WEB	192.168.68.64	用户admin登录成功	2017-03-24 23:31:12	系统管理员	admin
admin	WEB	192.168.68.64	修改网页防篡改web1	2017-03-24 23:28:02	系统管理员
admin	WEB	192.168.68.64	修改系统配置信息	2017-03-24 23:27:07	系统管理员
admin	WEB	192.168.68.64	用户admin登录成功	2017-03-24 18:00:38	系统管理员





ptables

Window2003

Centos vi /etc/sysconfig/network

— — —




UDP 514

UDP

UDP 514







Tracert


=> Ping

IP

IP

The screenshot shows a web-based network diagnostic tool. The interface includes a sidebar with navigation options: 主页面 (Home), 系统配置 (System Configuration), 网页防篡改 (Website Protection), 发布服务器 (Publishing Server), 日志系统 (Log System), 系统诊断 (System Diagnosis), 诊断工具 (Diagnostic Tools), and 一键信息收集 (One-click Information Collection). The main area is titled 'Ping测试' (Ping Test) and contains a text input field for the host name, currently set to '192.168.10.189', and a '发送' (Send) button. Below the input field, the test results are displayed in a monospaced font:

```
Pinging 192.168.10.189 with 32 bytes of data:  
  
Reply from 192.168.10.189: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.189: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.189: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.189: bytes=32 time<1ms TTL=128  
  
Ping statistics for 192.168.10.189:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```



www.ruijie.com.cn

www.ruijie.com.cn/service.aspx

bbs.ruijie.com.cn

webchat.ruijie.com.cn

4008-111-000