


RG-EG580-W



A solid red rectangular graphic element located to the left of the "Contents" text.

Contents





/

POE SYS

LINK

RG-EG580-W

(V1.00)



CPU/

系统告警

流量攻击告警

当前没有未查看的流量攻击日志。

历史攻击日志

特征库审计告警

当前没有未查看的特征库告警日志。

全部清除告警日志

配置文件告警

当前配置文件大小为 4.9 KB。

默认路由

当前已存在2条默认路由。



—

/ /

/ /

应用

当前共15个应用正在使用

下行统计

系统首页

网络流量状态

流量TOP10

应用组

应用

排行

10.00Kbps

10.00Kbps

10.00Kbps

10.00Kbps

10.00Kbps

10.00Kbps

10.00Kbps

10.00Kbps

排行	应用程序	流量 [Kbps]	应用类型
1	QQ-登录聊天	10.6Kbps / 10.0Kbps	关键/保证类
2	QQ-登录聊天	10.6Kbps / 10.0Kbps	关键/保证类
3	SSIMRN-DLS...	10.6Kbps / 10.7Kbps	关键/保证类
5	MAPI	10.1Kbps / 10.1Kbps	关键/保证类


用户	IP地址	会话数
/192.168.1.3	192.168.1.3	23

排行	用户	IP地址	流量 [Kbps]	排行
1	/192.168.1.3	192.168.1.3	15.1Kbps / 14.0Kbps	1

www.ruijie.com.cn

Web

6



Web

telnet

vpn

web

telnet

系统首页

CPU: 0.3%

内存: 48%

在线用户数:

设备时间: 2018-8-13 16:44:29

FG580-W FG RG06 11-867182 Release(05200616) [详细...](#)



系统设置

修改密码

重启设备

恢复出厂设置

配置备份

系统时间

增强功能

系统升级

温馨提醒: 修改设备时间可能导致历史流量报表的审计时间出错。

提示: 开启“自动与Internet时间服务器同步”后请检查是否已经配置了正确的NTP服务器。

系统首页

系统日期和时间

当前系统时间: 2018年8月13日下午4:44:6

重新设置时间:

时区: UTC+8

自动与Internet时间服务器同步

确认修改

A solid red horizontal bar located to the left of the "Contents" text.

Contents



IP

1.

mac

2 EG

192.168.1.x

192.168.1.x

CPU

no buffer

3ping


ping
CPU

EG

EG

```
总部#sh cpu | ex 0% 11.x版本使用命令show cpu | ex 0.0
```

```
=====
CPU Using Rate Information
CPU utilization in five seconds: 99%
CPU utilization in one minute : 97%
CPU utilization in five minutes: 90%
NO    5Sec   1Min   5Min   Process
2     89%    86%    80%    ktimer
25    7%     7%     7%     tnet
```



CPU

no buffer

no buffer

IP

dns

1 show flow-pre-mgr ip-info x.x.x.x, x.x.x.x PC IP

-

IP

2 114.114.114.114 dns 114

dns

3

IP

dns

1 show flow-pre-mgr ip-info x.x.x.x, x.x.x.x PC IP

-

IP

2 114.114.114.114 dns 114

dns

3

检测当前最新版本库

应用分类库版本: 2012.09.07.12.09.07 地址库版本: 2012.09.14.00 URL库版本: 2012-9-29

连接服务器失败! 检查最新版本, 请配置DNS服务器...

dns

rgos.ruijie.com.cn

rgos.ruijie.com.cn 80

telnet rgos.ruijie.com.cn 80

DNS

rgos.ruijie.com.cn

rgos.ruijie.com.cn

ACL



1

2

IP

1.

2.

P2P /

数量	名称	数量	名称	数量	名称
5000	普通/保正类	0		0/0	0
1000	网页类	1		4/4	25
0	普通/其他类	2		0/0	0
1000	在线观看类	2		0/0	10
1000	印刷类	3		0/0	10
0	1000	常用上传类	4		0/0
10	1000	第三方软件	1		0/0
0/0	10	1000	P2P下载类	5	
0/0	10	1000	应用更新类	5	

Contents

输出配置 配置备份


说明：导入过程中不能关闭或者刷新页面，否则导入将失败！
提示：导入配置后，要启用新的配置，请在本页面 [【重启设备】](#) 否则配置不生效。

[导出当前配置](#)

文件名： [导入配置](#)

[查看当前配置](#)

[查看当前配置](#)



Web

console

- | | | | |
|---|---------------|---------------------------------|---------------------------|
| 1 | console | | |
| 2 | | Press Ctrl+C to enter Boot Menu | ctrl+c |
| 3 | BootLoader | File management utilities | File management utilities |
| | Remove a file | config.text | ctrl+z |
| | Run Main | | |

Reset

reset 3

A solid red rectangular graphic element located to the left of the "Contents" text.

Contents



RIITE

www.riite.com.cn

A solid red horizontal rectangle located to the left of the "Contents" text.

Contents



EG


web

A solid red horizontal bar located to the left of the "Contents" text.

Contents

A solid red rectangular bar located to the left of the "Contents" text.

Contents

A table of contents with three horizontal teal lines. The text is faint and partially obscured by a large, semi-transparent grey shape that covers the right side of the page. The text appears to be a list of items, possibly chapters or sections, with varying levels of indentation.A table of contents with one horizontal red line. The text is faint and partially obscured by a large, semi-transparent grey shape that covers the right side of the page. The text appears to be a list of items, possibly chapters or sections, with varying levels of indentation.