

RG-TSupport400



x6E

gē

V1.0

é

2023-05-15

copyright © 2023 iñ

2. ý

ř o ť


ř

D

Ù ¢

ù ^		1
1 p		1
1.1 xž		1
1.2 ƏĀ		3
1.2.1 ¢		3
1.2.2 M¢		4
1.3 ¢		5
2 xŒ		6
2.1 xŒ		6
2.2 xhŒ¼		6
3 x5â		6
3.1 xuě		6
3.2 5xŸ		9
4 xehŒ¼		13
5 6-		13


¢ 1-2 Go\$



1.2 Ø


1.2.1 Ƴ

¢ 1-3 VƳ



1.2.2

C 1-4 Ø 1



0.156635 342.53 315.88 2453.127815 91.0 0.6374.21 T0149.149314645110.90214 80.1 56

L	f
Ry	132>54.903630.1 (132>0 0 1 154.9037 80.1 56 11955 342648 r04.903.68 280.1 7.(132>0 0

Y	RG-TSupport400
Ø	1> 8 1 Ø M
Ä	3V
£	1436mm~ 935mm~ 700mm
	Ø y 20.5kg Øy 24.3kg

2 GÔ

2.1 GÖ



¢ 2-1 VÖ

VÖ	ý
ä	x Y k PH1Y

2.2 GÖ•

z xk 74 028 001

Öž

z Ø. 65*Aúáž

z 4u 61 60KGož

z Øyk288ž

z xij 5 10 7a.

Aúá

Öž

z k 0 8 10ž

3 G±


3.1 G VÌ

(1) xÿ

a 1 4 0ž

- b 1 M12Ÿ Ğ M12kň 4ö ož
- c M0ggyř


¢ 3-1 G/A



- (2) $x \tilde{N} \quad y$

- a 15ñ yñ ã ñ M6ñ
- b ñu 2 M6ñw 3 x 6 M6ñ

¢ 3-2 G¢




(3) xǎ y

- a 5y 1 M6 8mmož
- b 1ǎyôž
- c 2 M6 6 M6


i ED

04 3-3 4 2>

3-3



3-4



3.2

8

i ED

B. 1eì 7, á Sp].. Gf >

(1) ě ě y

a Aýyož

b ě ě » kw... ě 2h, M5*50Y gež


i ED

7, á E

•

•


¢ 3-5 G ě




(2) K1xñ ě ě

(3) ě 2h, M5*50Y gež

ç 3-6 GÜ




¢ 3-7 6{ 1



(4) xAĭ y1Aĭq~

1 M60z

3-8 GY



4 Gd 6•


z xek 1010yā ož
 z xekP uē kōk g 1010yā ož
 z x ekuy ý x wāñ e 1010yā ož

5 ǎ

(1) N > y
 a 1010yā Nǎ uē Ā ǎ
 b uē kw• uē eÚ ǎ ož

¢ 5-1 ¢

5-2 5



(3) 5